

**QUARTERLY PROGRESS-TO-DATE REPORT  
FOR  
RIDGE AT JOHNSTOWN METROPOLITAN DISTRICT NOS. 1-8  
DATED: DECEMBER 20, 2024**

Pursuant to HB24-1454, § 24-85-103(2.5), C.R.S., and 8 CCR 1501-11 Governor’s Office of Information Technology Rules Establishing Technology Accessibility Standards (the “**Rules**”), Ridge at Johnstown Metropolitan District Nos. 1-8 (the “**District**”) OR (collectively the “**Districts**”) are required to provide a progress-to-date report that demonstrates concrete and specific efforts toward compliance.

For the quarter beginning October 1, 2024, the District(s) make the following report:

**1. Accessibility Scan of Digital Services and Content.**

The District has conducted periodic reviews of the front facing pages for accessibility and is keeping quarterly scans on file. (**Exhibit A**)

**2. Progress on Remediation of Digital Content.**

The District has initiated an inventory of all digital content to identify documents that need to be remediated and has engaged a third-party vendor to remediate documents.

**3. Goal to Reach Full Compliance Under the Rules.**

The District has a plan in place with a goal to have all digital content remediated by July 1, 2025.

**EXHIBIT A**  
**Accessibility Scan of Digital Services and Content**



## Accessibility

These checks highlight opportunities to [improve the accessibility of your web app](#). Automatic detection can only detect a subset of issues and does not guarantee the accessibility of your web app, so [manual testing](#) is also encouraged.

### NAMES AND LABELS

#### ▲ Buttons do not have an accessible name



These are opportunities to improve the semantics of the controls in your application. This may enhance the experience for users of assistive technology, like a screen reader.

### CONTRAST

#### ▲ Background and foreground colors do not have a sufficient contrast ratio.



These are opportunities to improve the legibility of your content.

### ADDITIONAL ITEMS TO MANUALLY CHECK (10)







[Show](#)

These items address areas which an automated testing tool cannot cover. Learn more in our guide on [conducting an accessibility review](#).

### PASSED AUDITS (23)

[Show](#)

Warning: Results may not display properly. Report was created with an earlier version of Lighthouse (12.2.3). The latest version is 12.3.0.

 Captured at Dec 27, 2024, 1:26 PM MST	 Emulated Desktop with Lighthouse 12.2.3	 Single page session
 Initial page load	 Unknown	 Using HeadlessChromium 131.0.6778.139 with lr

Generated by **Lighthouse** 12.2.3 | [File an issue](#)

Warning: Results may not display properly. Report was created with an earlier version of Lighthouse (12.2.3). The latest version is 12.3.0.



## Accessibility

These checks highlight opportunities to [improve the accessibility of your web app](#). Automatic detection can only detect a subset of issues and does not guarantee the accessibility of your web app, so [manual testing](#) is also encouraged.

### NAMES AND LABELS

#### ▲ Buttons do not have an accessible name



These are opportunities to improve the semantics of the controls in your application. This may enhance the experience for users of assistive technology, like a screen reader.

### CONTRAST

#### ▲ Background and foreground colors do not have a sufficient contrast ratio.



These are opportunities to improve the legibility of your content.

### NAVIGATION

#### ▲ Heading elements are not in a sequentially-descending order



These are opportunities to improve keyboard navigation in your application.

### ADDITIONAL ITEMS TO MANUALLY CHECK (10)

[Show](#)


Warning: Results may not display properly. Report was created with an earlier version of Lighthouse (12.2.3). The latest version is 12.3.0.


PASSED AUDITS (22)

Show


NOT APPLICABLE (32)


Show


 Captured at Dec 27, 2024, 1:26 PM  
MST

 Emulated Desktop with Lighthouse  
12.2.3

 Single page session

 Initial page load

 Unknown

 Using HeadlessChromium  
131.0.6778.139 with Ir

Generated by **Lighthouse** 12.2.3 | [File an issue](#)

Warning: Results may not display properly. Report was created with an earlier version of Lighthouse (12.2.3). The latest version is 12.3.0.



## Accessibility

These checks highlight opportunities to [improve the accessibility of your web app](#). Automatic detection can only detect a subset of issues and does not guarantee the accessibility of your web app, so [manual testing](#) is also encouraged.

### NAMES AND LABELS

#### ▲ Buttons do not have an accessible name



These are opportunities to improve the semantics of the controls in your application. This may enhance the experience for users of assistive technology, like a screen reader.

### CONTRAST

#### ▲ Background and foreground colors do not have a sufficient contrast ratio.



These are opportunities to improve the legibility of your content.

### ADDITIONAL ITEMS TO MANUALLY CHECK (10)







[Show](#)

These items address areas which an automated testing tool cannot cover. Learn more in our guide on [conducting an accessibility review](#).

### PASSED AUDITS (24)

[Show](#)

Warning: Results may not display properly. Report was created with an earlier version of Lighthouse (12.2.3). The latest version is 12.3.0.

 Captured at Dec 27, 2024, 1:27 PM MST	 Emulated Desktop with Lighthouse 12.2.3	 Single page session
 Initial page load	 Unknown	 Using HeadlessChromium 131.0.6778.139 with lr

Generated by **Lighthouse** 12.2.3 | [File an issue](#)

Warning: Results may not display properly. Report was created with an earlier version of Lighthouse (12.2.3). The latest version is 12.3.0.





## Accessibility

These checks highlight opportunities to [improve the accessibility of your web app](#). Automatic detection can only detect a subset of issues and does not guarantee the accessibility of your web app, so [manual testing](#) is also encouraged.

### NAMES AND LABELS

#### ▲ Buttons do not have an accessible name



These are opportunities to improve the semantics of the controls in your application. This may enhance the experience for users of assistive technology, like a screen reader.

### CONTRAST

#### ▲ Background and foreground colors do not have a sufficient contrast ratio.



These are opportunities to improve the legibility of your content.

### NAVIGATION

#### ▲ Heading elements are not in a sequentially-descending order



These are opportunities to improve keyboard navigation in your application.

### ADDITIONAL ITEMS TO MANUALLY CHECK (10)

[Show](#)


Warning: Results may not display properly. Report was created with an earlier version of Lighthouse (12.2.3). The latest version is 12.3.0.


PASSED AUDITS (22)

Show


NOT APPLICABLE (32)

Show


 Captured at Dec 27, 2024, 1:25 PM  
MST

 Emulated Desktop with Lighthouse  
12.2.3

 Single page session

 Initial page load

 Unknown

 Using HeadlessChromium  
131.0.6778.139 with Ir

Generated by **Lighthouse** 12.2.3 | [File an issue](#)

Warning: Results may not display properly. Report was created with an earlier version of Lighthouse (12.2.3). The latest version is 12.3.0.



## Accessibility

These checks highlight opportunities to [improve the accessibility of your web app](#). Automatic detection can only detect a subset of issues and does not guarantee the accessibility of your web app, so [manual testing](#) is also encouraged.

### NAMES AND LABELS

#### ▲ Buttons do not have an accessible name



These are opportunities to improve the semantics of the controls in your application. This may enhance the experience for users of assistive technology, like a screen reader.

### CONTRAST

#### ▲ Background and foreground colors do not have a sufficient contrast ratio.



These are opportunities to improve the legibility of your content.

### BEST PRACTICES

#### ▲ Touch targets do not have sufficient size or spacing.



These items highlight common accessibility best practices.

### ADDITIONAL ITEMS TO MANUALLY CHECK (10)

[Show](#)


Warning: Results may not display properly. Report was created with an earlier version of Lighthouse (12.2.3). The latest version is 12.3.0.


PASSED AUDITS (23)

Show


NOT APPLICABLE (31)

Show


 Captured at Dec 27, 2024, 1:23 PM  
MST

 Emulated Desktop with Lighthouse  
12.2.3

 Single page session

 Initial page load

 Unknown

 Using HeadlessChromium  
131.0.6778.139 with Ir

Generated by **Lighthouse** 12.2.3 | [File an issue](#)

Warning: Results may not display properly. Report was created with an earlier version of Lighthouse (12.2.3). The latest version is 12.3.0.



## Accessibility

These checks highlight opportunities to [improve the accessibility of your web app](#). Automatic detection can only detect a subset of issues and does not guarantee the accessibility of your web app, so [manual testing](#) is also encouraged.

### NAMES AND LABELS

#### ▲ Buttons do not have an accessible name



These are opportunities to improve the semantics of the controls in your application. This may enhance the experience for users of assistive technology, like a screen reader.

### CONTRAST

#### ▲ Background and foreground colors do not have a sufficient contrast ratio.



These are opportunities to improve the legibility of your content.

### BEST PRACTICES

#### ▲ Touch targets do not have sufficient size or spacing.



These items highlight common accessibility best practices.

### ADDITIONAL ITEMS TO MANUALLY CHECK (10)

[Show](#)


Warning: Results may not display properly. Report was created with an earlier version of Lighthouse (12.2.3). The latest version is 12.3.0.


PASSED AUDITS (22)

Show


NOT APPLICABLE (32)


Show


 Captured at Dec 27, 2024, 1:22 PM  
MST

 Emulated Desktop with Lighthouse  
12.2.3

 Single page session

 Initial page load

 Unknown

 Using HeadlessChromium  
131.0.6778.139 with Ir

Generated by **Lighthouse** 12.2.3 | [File an issue](#)

Warning: Results may not display properly. Report was created with an earlier version of Lighthouse (12.2.3). The latest version is 12.3.0.



## Accessibility

These checks highlight opportunities to [improve the accessibility of your web app](#). Automatic detection can only detect a subset of issues and does not guarantee the accessibility of your web app, so [manual testing](#) is also encouraged.

### NAMES AND LABELS

#### ▲ Buttons do not have an accessible name



These are opportunities to improve the semantics of the controls in your application. This may enhance the experience for users of assistive technology, like a screen reader.

### CONTRAST

#### ▲ Background and foreground colors do not have a sufficient contrast ratio.



These are opportunities to improve the legibility of your content.

### NAVIGATION

#### ▲ Heading elements are not in a sequentially-descending order



These are opportunities to improve keyboard navigation in your application.

### ADDITIONAL ITEMS TO MANUALLY CHECK (10)

[Show](#)


Warning: Results may not display properly. Report was created with an earlier version of Lighthouse (12.2.3). The latest version is 12.3.0.


PASSED AUDITS (23)

Show


NOT APPLICABLE (31)

Show


 Captured at Dec 27, 2024, 1:21 PM  
MST

 Emulated Desktop with Lighthouse  
12.2.3

 Single page session

 Initial page load

 Unknown

 Using HeadlessChromium  
131.0.6778.139 with Ir

Generated by **Lighthouse** 12.2.3 | [File an issue](#)

Warning: Results may not display properly. Report was created with an earlier version of Lighthouse (12.2.3). The latest version is 12.3.0.





## Accessibility

These checks highlight opportunities to [improve the accessibility of your web app](#). Automatic detection can only detect a subset of issues and does not guarantee the accessibility of your web app, so [manual testing](#) is also encouraged.

### NAMES AND LABELS

#### ▲ Buttons do not have an accessible name



These are opportunities to improve the semantics of the controls in your application. This may enhance the experience for users of assistive technology, like a screen reader.

### CONTRAST

#### ▲ Background and foreground colors do not have a sufficient contrast ratio.



These are opportunities to improve the legibility of your content.

### ADDITIONAL ITEMS TO MANUALLY CHECK (10)







[Show](#)

These items address areas which an automated testing tool cannot cover. Learn more in our guide on [conducting an accessibility review](#).

### PASSED AUDITS (25)

[Show](#)

Warning: Results may not display properly. Report was created with an earlier version of Lighthouse (12.2.3). The latest version is 12.3.0.

 Captured at Dec 27, 2024, 1:22 PM MST	 Emulated Desktop with Lighthouse 12.2.3	 Single page session
 Initial page load	 Unknown	 Using HeadlessChromium 131.0.6778.139 with lr

Generated by **Lighthouse** 12.2.3 | [File an issue](#)

Warning: Results may not display properly. Report was created with an earlier version of Lighthouse (12.2.3). The latest version is 12.3.0.



## Accessibility

These checks highlight opportunities to [improve the accessibility of your web app](#). Automatic detection can only detect a subset of issues and does not guarantee the accessibility of your web app, so [manual testing](#) is also encouraged.

### NAMES AND LABELS

#### ▲ Buttons do not have an accessible name



These are opportunities to improve the semantics of the controls in your application. This may enhance the experience for users of assistive technology, like a screen reader.

### CONTRAST

#### ▲ Background and foreground colors do not have a sufficient contrast ratio.



These are opportunities to improve the legibility of your content.

### BEST PRACTICES

#### ▲ Touch targets do not have sufficient size or spacing.



These items highlight common accessibility best practices.

### ADDITIONAL ITEMS TO MANUALLY CHECK (10)

[Show](#)


Warning: Results may not display properly. Report was created with an earlier version of Lighthouse (12.2.3). The latest version is 12.3.0.


PASSED AUDITS (22)

Show


NOT APPLICABLE (32)

Show


 Captured at Dec 27, 2024, 1:24 PM  
MST

 Emulated Desktop with Lighthouse  
12.2.3

 Single page session

 Initial page load

 Unknown

 Using HeadlessChromium  
131.0.6778.139 with Ir

Generated by **Lighthouse** 12.2.3 | [File an issue](#)

Warning: Results may not display properly. Report was created with an earlier version of Lighthouse (12.2.3). The latest version is 12.3.0.



## Accessibility

These checks highlight opportunities to [improve the accessibility of your web app](#). Automatic detection can only detect a subset of issues and does not guarantee the accessibility of your web app, so [manual testing](#) is also encouraged.

### NAMES AND LABELS

#### ▲ Buttons do not have an accessible name



These are opportunities to improve the semantics of the controls in your application. This may enhance the experience for users of assistive technology, like a screen reader.

### CONTRAST

#### ▲ Background and foreground colors do not have a sufficient contrast ratio.



These are opportunities to improve the legibility of your content.

### BEST PRACTICES

#### ▲ Touch targets do not have sufficient size or spacing.



These items highlight common accessibility best practices.

### NAVIGATION

Warning: Results may not display properly. Report was created with an earlier version of Lighthouse (12.2.3). The latest version is 12.3.0.

## ADDITIONAL ITEMS TO MANUALLY CHECK (10)

Show

These items address areas which an automated testing tool cannot cover. Learn more in our guide on [conducting an accessibility review](#).

## PASSED AUDITS (21)

Show

## NOT APPLICABLE (32)


Show

 Captured at Dec 27, 2024, 1:23 PM

MST

 Emulated Desktop with Lighthouse

12.2.3

 Single page session Initial page load Unknown Using Headless Chromium

131.0.6778.139 with lr

Generated by **Lighthouse** 12.2.3 | [File an issue](#)

Warning: Results may not display properly. Report was created with an earlier version of Lighthouse (12.2.3). The latest version is 12.3.0.